


INDEX MAPS. **T. 22N, R. 6 E. 2nd Mer.**

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
420	418	419	417	419	417
418					417

T. 22N, R. 6 E. 2nd Mer.

	427		426		426		425		425		425	
427	6	444	5	439	4	435	3	432	2	430	1	423
	445		444		440		436		432		430	
427	7	445	8	440	9	436	10	433	11	430	12	423
	446		445		440		437		433		431	431
428	18	446	17	441	16	437	15	434	14		13	423
429			447		441		438		434			432
428	19	447	20	442	21	438	22	435	23		24	424
429	449	449	448		442		438		435			
	429	429	429			439						
	30		29	442	28		27		26		25	
			444	443								
	31	32	33	34	35	36						

Meanders 450

 The figures on the lines refer to the page.

Township Lines.

Ch. 9th. East Boundary.
South on the E. Boundary of Sec. 1

12.13 a Beech 36 in. dia.

23.86 a B. Oak 48 " "

40.00 set gr. sec. post from which
an Ash 48 in. dia. bears N 14° W 8 1/2 Ms. dist. 8
a Beech 18 " " " S 2° W 24 " "

53.08 an Elm 10 " " opposite head of a Willow Swamp
on East side

61.00 leave Swamp

80.00 set post cor. of sec. 1 & 12 from which
a Beech 16 in. dia. bears N 56° W 48 1/2 Ms. dist. 8
an Elm 24 " " " S 51° W 78 " "
First half mile level good land, last half mile
wet. Timber Beech, Maple, Elm, Ash, Hickory &c.
Upr. Spice, Sugar &c.

South on the E. Boundary of Sec. 12

16.65 a Hickory 15 in. dia.

40.00 set gr. sec. post from which
an Ironwood 8 in. dia. bears N 55° W 8 1/2 Ms. dist. 8
a Beech 22 " " " S 24° W 30 " "

48.95 a Beech 18 " "

80.00 set post cor. of sec. 12 & 13 from which
a Beech 12 in. dia. bears N 16° W 22 1/2 Ms. dist. 8
a Do 12 " " " S 60° W 59 " "
Land level 2nd rate. Timber Beech, Oak, Elm,
Sugar, Ash, Hickory &c. Upr. Spice, Ironwood
& Sugar

South on the E. Boundary of Sec. 13

13.73 a Beech 40 in. dia.

33.47 a Do 30 " "

40.00 set gr. sec. post from which
a Beech 18 in. dia. bears N 33° W 19 1/2 Ms. dist. 8

T. 20 N., R. 6 E. 2^d Mer. Ind.^a

Chs. Sh.

- a Beech 20 in. dia. bears S 60° W 50 Yds. dist.
 73.33 a Sugar 22 " "
 79.20 a Stream 15 Yds. wide course SW
 80.00 set post cor. of sec. 13 & 24 from which
 an Elm 22 in. dia. bears N 39° W 32 Yds. dist. &
 a Do 20 " " " S 24° W 33 " "
 First half mile level, last half mile rolling and
 T. rate. Timber Beech, Sugar, Ash, Elm, Oak & Y.
 Hly. Spice, Hazel & Sugar

South on the E. Boundary of Sec. 24

- 18.77 a Sugar 15 in. dia.
 40.00 set q. sec. post from which
 a Beech 40 in. dia. bears N 70° W 27 Yds. dist. &
 a Hackberry 15 " " " S 52° W 40 " "
 46.00 an Indian trace, NW
 52.58 a Sugar 24 in. dia.
 68.74 a Hickory 12 " "
 80.00 set post cor. of sec. 24 & 25 from which
 a Walnut 22 in. dia. bears S 21° W 6 Yds. dist. &
 a Cherry 12 " " " N 34° W 18 " "
 This mile runs entirely through Bottom
 land, the first half made by the creek crossed
 near the last post. Timber Walnut, Sugar,
 Elm, Ash &c.

South on the E. Boundary of Sec. 25

- 16.00 old Road from Marion to Peru
 22.95 to the right bank of the Mississinewa River,
 course N 71° W. set post from which
 a W. Oak 30 in. dia. bears N 37° E 21 Yds. dist. &
 a Do 30 " " " N 12° W 43 " "
 Land &c. same as last described.
 May 20. 1839

North Boundary.

T. 26 N., R. 6 E. 2. Mer. Ind.^a
Ch. 1. 2. 3.

Bearings for corner of *T. 26 & 27 N., R. 6 & 7 E.*:
 a Beech 16 in. dia. bears *N 65° W 16* Ms. dist. 8
 a Do 24 " " " *N 62° E 20* " "

West on the S. Boundary of Sec. 36, *T. 27 N., R. 6 E*
 8.22 a Hickory 24 in. dia.

31.37 an Ash 10 " "

40.00 set of sec. post from which

a Beech 28 in. dia. bears *N 17° W 32* Ms. dist. 8

a Sugar 16 " " " *N 68° E 38* " "

49.52 a gray Ash 10 in. dia.

63.67 an Elm 24 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears *N 58° W 42* Ms. dist. 8

a Do 12 " " " *N 30° E 38* " "

This mile level and entirely covered with
 water in wet weather. Timber Beech,
 Elm, Ash, Oak &c. Wp. Spice, P. Ash

West on the S. Boundary of Sec. 35, *T. 27 N., R. 6 E*
 12.18 a Swamp Oak 14 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears *N 1° E 13* Ms. dist. 8

a Sap. Ash 18 " " " *N 60° W 24* " "

61.20 a Beech 12 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 24 in. dia. bears *N 55° W 29* Ms. dist. 8

an Oak 18 " " " *N 72° E 32* " "

First half mile same as before described,
 last half mile not quite so wet.
 Timber same as on last mile

West on the S. Boundary of Sec. 34, *T. 27 N., R. 6 E*
 9.43 an Elm 24 in. dia.

32.80 a Beech 20 " "

40.00 set of sec. post from which

an Elm 12 in. dia. bears *N 42° W 31* Ms. dist. 8

T. 26 N., R. 6 E. 2. Mer. Ind.^a
Ch. Lk.

a Beech 36 in. dia. leans N 56 E 38 W. dnt.
55.80 a Stream 10 Ws. wide course N.
80.00 set part cor. of sec. 33 & 34 from which
a Sugar 18 in. dia. leans N 29 E 24 W. dnt. &
a Beech 20 " " " N 84 W 43 " "
First half mile level, last half mile rolling
1st rate land. Timber Beech, Sugar, Walnut,
Oak, Elm & W. Spruce

West on the S. Boundary of Sec. 33, T. 27 N., R. 6 E.
8.50 a Stream 3 Ws. wide course N.
17.86 same stream 6 Ws. wide course NW
18.00 same stream 6 " " " NW
18.37 a Walnut 14 in. dia.
32.80 a Stream 8 Ws. wide course N
40.00 set g. sec. part from which
an Elm 20 in. dia. leans N 83 E 33 W. dnt. &
an Ironwood 8 " " " N 36 W 24 " "
69.39 a Poplar 24 " "
80.00 set part cor. of sec. 32 & 33 from which
a Hickory 18 in. dia. leans N 39 E 28 W. dnt. &
a Bur Oak 24 " " " N 119 W 55 " "
Land rolling 1st rate. Timber Beech, Sugar,
Poplar, Walnut, Oak, Hickory & Spruce &

West on the S. Boundary of Sec. 32, T. 27 N., R. 6 E.
17.47 a Beech 24 in. dia.
35.17 a Stream 17 Ws. wide course NW
40.00 set g. sec. part from which
an Elm 22 in. dia. leans N 56 E 43 W. dnt. &
a Do 12 " " " N 33 W 46 " "
53.32 a Beech 24 " "
80.00 set part cor. of sec. 31 & 32 from which
an Ash 24 in. dia. leans N 69 W 30 W. dnt. &
a Do 18 " " " N 52 E 41 " "
Land rolling & 1st rate. Timber Beech,

T. 26 N., R. 6 E. 2. Mer. Ind.^a
Ch. 10.

Ash, Walnut & Upr. Spice &c.

West on the S. Boundary of Sec. 31, T. 27 N., R. 6 E
15.35 an Ironwood 8 in. dia.

40.00 set of sec. post from which

a W. Oak 22 in. dia. bears N 1 E 25 W. dist. 8

a Sugar 16 " " " N 35 W 40 " "

44.50 a Stream 12 W. wide course N E

54.81 an Ash 24 in. dia.

69.95 set post cor. of T. 26 & 27 N., R. 5 & 6 E. from which

a Beech 18 in. dia. bears N 62 E 21 W. dist. 8

a Do 15 " " " N 56 W 65 " "

Land rolling & fertile. Abundance of Sugar
in this mile. Timber mostly Sugar, Beech,
& Ash, not much Upr. May 21. 1839

West Boundary.

South on the E. Boundary of Sec. 1, T. 26 N., R. 5 E

5.00 enter Willow Swamp

6.50 leave Do

23.98 a W. Oak 12 in. dia.

25.00 enter Willow Swamp

28.00 leave Do

40.00 set of sec. post from which

a Sugar 14 in. dia. bears N 54 W 67 W. dist. 8

a W. Oak 24 " " " S 54 W 44 " "

42.00 enter Willow Swamp

44.00 leave Do

57.85 a Stream 12 W. wide course W

59.16 a Beech 22 in. dia.

80.00 set post cor. of Sec. 1 & 12 from which

a Beech 15 in. dia. bears N 57 W 11 W. dist. 8

a Hickory 24 " " " S 46 W 84 " "

Land tolerably good except the Swamps.

South on the E. Boundary of Sec. 12, T. 26 N., R. 5 E

T. 26 N., R. 6 E., 2^d Mer. Ind.^a

Chs. Sk.

- 11.80 a Beech 24 in. dia.
 27.36 a Stream 7 Ws. wide course W
 40.00 set of sec. post from which
 a Sugar 20 in. dia. bears N 43° W 35 Ws. dist. 3
 a Beech 18 " " " S 39° W 10 " "
 48.73 a Beech 14 " "
 61.55 Indian trace, W
 70.88 a Beech 14 in. dia.
 80.00 set post cor. of sec. 12 & 13 from which
 a Sugar 15 in. dia. bears N 61° W 23 Ws. dist. 3
 an Ark 24 " " " S 15° W 27 " "
 Land rolling & good. Timber Beech, Sugar,
 Ark, Oak & Upr. Spice &c

South on the E. Boundary of Sec. 13, T. 26 N., R. 5 E

- 20.77 a Beech 22 in. dia.
 40.00 set of sec. post from which
 an Elm 15 in. dia. bears N 66° W 16 Ws. dist. 3
 a Beech 12 " " " S 46° W 4 " "
 43.70 a Stream 5 Ws. wide course SW
 60.47 a Beech 14 in. dia.
 75.00 a Stream 8 Ws. wide course W
 80.00 set post cor. of sec. 13 & 24 from which
 a Buckeye 12 in. dia. bears N 62° W 45 Ws. dist. 3
 a Poplar 36 " " " S 34° W 22 " "
 Land rolling & 2^d rate. Timber Beech, Oak,
 Elm, Sugar, Ark & Upr. Spice & young Sugar

South on the E. Boundary of Sec. 24, T. 26 N., R. 5 E

- 17.98 a Beech 18 in. dia.
 22.30 to the right bank of the Mississippi River
 course S 46° W, set post at foot of high bluff
 from which
 an Elm 12 in. dia. bears N 12° E 28 Ws. dist. 3
 a Sugar 6 " " " S 65° W 03 " "
 26.12 over River, set post on left bank from which

Ch. Sk? T. 26 N., R. 6 E. 2. Mer. Ind.^a

a Buckeye 16 in. dia. bears S 45° W 10 lks., dist. 2.
 a Hackberry 24 " " " N 57° E 26 " "
 40.00 a Hackberry 4 " " stands for of sec. cor. from wh.
 a Beech 12 " " bears N 13° W 24 lks., dist. 3.
 a Buckeye 8 " " " S 9° W 22 " "
 80.00 set part cor. of sec. 24 & 25 from which
 a Beech 18 in. dia. bears N 48° W 12 lks., dist. 13.
 a Do 22 " " " S 55° W 41 " "
 North of river poor, South of river 1st rate

South in the E. Boundary of Sec. 25, T 26 N, R 5 E
 8.73 a Beech 14 in. dia.
 13.03 Intersect S. Boundary of Cession, set part from
 wh. a Beech 28 in. dia. bears S 49° E 13 lks., dist. 3.
 a Do 24 " " " N 19° W 53 " "
 May 22^d 1839

South Boundary of the Cession of
 November 6. 1839 by the Miamis.
 East on 19th Mile
 6.55 a Stream 13 lks. wide course N. in a deep
 ravine
 18.84 a Beech 14 in. dia.
 45.00 a Spring branch, course N.
 46.66 a Buckeye 8 in. dia.
 57.00 an Indian trace, N
 64.32 an Elm 20 in. dia.
 80.00 19 Miles, set temp. part
 Land willing 1st rate. Timber Buckeye,
 Sugar, Walnut, Beech, Ash, Elm &c.

East on 20th Mile
 8.02 to the left bank of Mississinewa River, course
 N 22° E. 4.64 Ch. wide, set part from which
 a Buckeye 15 in. dia. bears S 34° W 16 lks., dist. 5.
 a Beech 18 " " " N 65° W 27 " "

T. 26 N., R. 6 E., 2^d Mer. Ind.^a
 Elm. Spr.
 May 11. 1839 Chauncy Carter
 Deputy Surveyor.

Subdivision.

South between Sec. 1 & 2

19.83 an Ash 6 in. dia.

30.24 a Red Oak 36 in. dia.

40.00 set q. sec. post from which

a Beech 12 in. dia. bears N 86 E 10 Ws. dist. 8

a Do 10 " " " S 60 W 23 " "

46.67 a Sugar 15 " "

64.73 a Hickory 18 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 15 in. dia. bears S 25 W 16 Ws. dist. 8

an Elm 15 " " " N 25 E 26 " "

Land level dwt. Timber Beech, Oak, Elm, Ash,
 Hickory, Gum & Upr. Spruce, Water Beech &c.

East in Random between Sec. 1 & 12

29.00 enter Windfall (wind from SW. about 2 years old)

51.00 leave " Do

80.20 Intersect E. Boundary 13 Ws. N. of post -

Land level dwt. Timber as before described

West Corrected between Sec. 1 & 12

13.61 a Beech 10 in. dia.

35.85 a Do 14 " "

40.10 set q. sec. post at aver. dist. from which

a Beech 18 in. dia. bears S 55 E 62 Ws. dist. 8

a W. Oak 8 " " " N 22 E 85 " "

54.68 a Gum 8 " "

70.43 a Do 12 " "

80.20 to sec. cor.

South between Sec. 11 & 12

14.08 a Hickory 24 in. dia.

T. 26 N., R. 6 E., 2^d Mer. Ind.^a
 C. 12. 90th

34.10 a Hickory 24 in. dia.

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears N 36° W 45 Ws. dist. 8

a Do 12 " " " S 64° W 18 " "

50.48 an Ash 18 " "

68.09 a Beech 24 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

an Ash 30 in. dia. bears S 62° E 5 Ws. dist. 8

a Beech 18 " " " N 53° W 22 " "

Land level & wet. Timber Oak, Hickory,
 Beech, Ash, Elm, Lym V. Ws. Spice V.

East on Random between Sec. 12 & 13

79.79 Intersect E. Boundary 32 Ws. N. of post -

Land level & inclined to wet. Timber Oak,
 Beech, Ash, Hickory, Sugar, Poplar & Spice V.

West Connected between Sec. 12 & 13

12.83 a B. Oak 20 in. dia.

29.45 a Beech 14 " "

39.90 set gr. sec. post at aver. dist. from which

a Top. Ash 14 in. dia. bears S 59° E 10 Ws. dist. 8

a Maple 18 " " " N 78° W 28 " "

56.88 a Gray Ash 15 " "

67.50 an Elm 15 " "

79.79 to sec. cor.

South between Sec. 13 & 14

8.49 a Beech 18 in. dia.

19.64 a Do 24 " "

23.95 Intersect N.E. Boundary of Grant N. 22, set
 post from which

a Beech 24 in. dia. bears South 15 Ws. dist. 8

a W. Oak 36 " " " N 87° E 24 " "

Land rolling S. rate. Timber Oak, Beech, Elm,
 Hickory, Ash & Ws. Spice, Ironwood & V.

T. 20 N., R. 6 E. 2^d Mer. Ind. ^a

Chr. Sp.

West between Sec. 13 & 24

10.70 Intersect N.E. Boundary of Grant N. 22,
set post from which

a Sugar 15 in. dia. bears West 16 lks. dist. &

a Do 24 " " S 88 E 33 " "

July 16. 1839

South between Sec. 2 & 3

12.71 a Hickory 24 in. dia.

37.37 a Beech 24 " "

40.00 set of sec. post from which

a R. Oak 36 in. dia. bears East 1 lk. dist. &

a Hickory 14 " " S 41 W 19 " "

56.18 an Ash 12 " "

70.78 an Ironwood 6 in. dia.

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 18 in. dia. bears S 88 W 25 lks. dist. &

a Do 36 " " S 80 E 50 " "

North half mile level & wet, South half mile
rolling 2^d rate land. Timber Beech, Hickory,
Oak, Sugar, Ash, Gum & Spice, P. Ash &

East on Random between Sec. 2 & 11

80.22 Intersect N.E. line 19 lks. N. of post -

Land level & rich. Timber Beech, Walnut,
Poplar, Oak, Ash, Gum, Elm & Upr. Spice &

West Connected between Sec. 2 & 11

15.33 an Ash 24 in. dia.

28.35 an Elm 24 " "

40.11 set of sec. post at aver. dist. from which

an Elm 24 in. dia. bears N 46 W 13 lks. dist. &

an Ash 15 " " S 17 E 30 " "

47.06 a Do 18 " "

71.14 a B. Oak 30 " "

80.22 to sec. cor.

Completed

T. 20 N., R. 6 E. 2^d Mer. Ind^a
Ch. Lk.

South between Sec. 10 & 11

15.24 a Walnut 10 in. dia.

32.83 an Elm 20 " "

40.00 set of sec. post from which

a Gum 10 in. dia. bears N 10° W 14 1/2 krs. dist. 8

a Beech 24 " " " S 84° W 39 " "

50.80 a Dogwood 5 in. dia.

55.00 an Ash 24 " "

70.87 an Elm 18 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 10 in. dia. bears N 40° E 24 1/2 krs. dist. 8

a Do 12 " " " S 84° W 19 " "

Land level & rich. Timber Beech, Walnut,
 Sugar, Elm, Ash, Oak & Vly. Spice &c.

East on Random between Sec. 11 & 14

41.95 W. Boundary of Grant N. 22

51.85 N.E. Boundary of same

80.50 Intersect N. E. line 8 krs. S. of post—

Land level & 2^d rate. Timber Beech, Hickory,
 Ash, Elm &c. Vly. Spice &c.

West Corrected between Sec. 11 & 14

12.09 an Elm 24 in. dia.

28.09 set post in N.E. Boundary of Grant N. 22 from which

a Beech 18 in. dia. bears N 69° W 8 krs. dist. 8

a Do 16 " " " S 43° E 24 " "

Measured N 50 1/2° W. 12.70 Chs. to the NW.
 corner of said Grant.

38.05 set post in W. Boundary of Grant N. 22 from which

a Sugar 24 in. dia. bears N 88° — 26 krs. dist. 8

a Do 20 " " " S 66° E 34 " "

Measured North along W. Boundary 8.06 Chs.
 to the NW. corner of said Grant.

40.25 set of sec. post from which

a Beech 28 in. dia. bears S 8° E 20 krs. dist. 8

T. 26 N., R. 6 E., T. 2 Mer. Ind.^a
Ch. Sp.

a Beech 20 in. dia. bears N 74 W 18 lks. dist.
48.74 a W. Oak 40 " "
68.18 a Lymn 18 " "
80.50 to sec. cor.

South between Sec. 14 & 15

12.83 an Elm 24 in. dia.
32.89 a Beech 18 " "
40.00 set of sec. post from which
a Sugar 24 in. dia. bears N 25 E 5 lks. dist. S
a Do 24 " " " S 67 W 37 " "
52.89 an Ironwood 6 in. dia.
68.84 a Sugar 24 " "
80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a Beech 18 in. dia. bears S 16 E 17 lks. dist. S
a Do 24 " " " S 84 E 24 " "
North half mile 2^d rate, South half mile
rolling 1st rate. Timber Beech, Sugar, Hick-
ory, Oak, Elm, Ash, Walnut & W. Spr. Spice &c.

East on true line between Sec. 14 & 23

14.19 a Sugar 20 in. dia.
30.65 a W. Oak 9 " "
40.00 set of sec. post from which
a Sugar 18 in. dia. bears N 70 W 15 lks. dist. S
a Do 24 " " " S 18 E 25 " "
44.70 Intersect W. Boundary of Grant's T. 22,
set post from which
an Elm 18 in. dia. bears N 32 E 17 lks. dist. S
a W. Oak 36 " " " S 33 W 8 " "
Measured on W. Boundary of said Grant's T. 22
71.86 Ch. to the S.W. corner on right bank of
Mississinewa River.
Land rolling 1st rate. Timber Beech, Sugar,
Walnut, Ash, Oak &c.

T. M. N., R. O. E. L. Mer. Ind.^a
Ch. G.

South between Sec. 22 & 23

19.79 a Beech 16 in. dia.

24.50 old Road from Marion to Peru

38.00 a Beech 18 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 35 E 30 W. dist. 8

a Do 18 " " " S 14 E 22 " "

51.37 a Beech 15 " "

68.22 a Do 24 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Elm 28 in. dia. bears N 56 W 10 W. dist. 8

a Hickory 15 " " " S 43 E 37 " "

Land rolling at T. rate. Timber Beech, Sugar,
Oak, Ash, Elm, Walnut & W. Spruce &c.

East in true line between Sec. 23 & 26

5.00 descend to River bottom

9.83 a Walnut 36 in. dia.

28.95 set post on right bank of Mississinewa R. from wh.

a Sugar 18 in. dia. bears S 76 W 48 W. dist. 8

a W. Oak 18 " " " N 12 W 78 " "

Land all River bottom & first rate.

South between Sec. 26 & 27

10.09 set post on right bank of Mississinewa R. from wh.

a Buckeye 15 in. dia. bears S 88 W 18 W. dist. 8

a Beech 18 " " " N 54 E 41 " "

Land timber same as before described.

July 17. 1839

South between Sec. 30 & 4

18.03 a Sugar 15 in. dia.

35.18 a Hickory 18 " "

40.00 set of sec. post from which

a Sugar 18 in. dia. bears N 75 E 37 W. dist. 8

a Do 24 " " " N 64 W 42 " "

T. 26 N., R. 6 E. 2. Mer. Ind.^a
Chr. Spr.

59.00 enter Willow Swamp, E & W

61.50 leave Do

61.60 a Bur Oak 15 in. dia.

80.00 set post cor. of sec. 3, 4, 9 & 10 from which
a Sup. Ash 15 in. dia. bears S 63° W 14 lks. dist. &
a Do 18 " " " N 43° E 43 " "
North half mile rolling & hilly, South half
mile level wet. Timber Beech, Sugar, Oak,
Elm, Ash, Lymn & V. Upr. Spice &c.

East in Paddock between Sec. 3 & 10

80.40 Intersect N. S. line 20 lks. N. of post -
Land level wet. Timber Beech, Elm, Ash,
Oak, Hickory. Upr. Spice &c.

West Connected between Sec. 3 & 10

16.17 an Elm 18 in. dia.

32.17 a Beech 6 " "

40.20 set q. sec. post at aver. dist. from which
a Beech 24 in. dia. bears N 43° W 13 lks. dist. &
a Do 24 " " " S 40° E 20 " "

47.70 a Bur Oak 40 " "

69.13 an Elm 36 " "

80.40 to sec. cor.

South between Sec. 9 & 10

10.52 a Lycamore 30 in. dia.

31.15 a Beech 12 " "

40.00 set q. sec. post from which
a Lycamore 18 in. dia. bears N 67° W 25 lks. dist. &
a Sup. Ash 24 " " " S 45° E 18 " "

50.80 a Beech 8 " "

64.56 an Ash 20 " "

69.47 a Beech 30 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Beech 14 in. dia. bears N 37° E 24 lks. dist. &

T. 20 N., R. 6 E. 2. Mer. Ind. a

Ch. 20.

a Walnut 12 in. dia. bears N 86° W 25 M. dist.
Land level & wet. Timber Beech, Oak, Ash,
Sycamore, Elm & Upr. Spice & s

East on Random between Sec. 10 & 15

8.00 enter Windfall from SW

37.00 leave Do

80.44 Intersect N. E. line 16 M. N. of point -

Land level & wet. Timber Beech, Oak, Ash,
Elm & Upr. Spice, Prickly Ash & s

West Connected between Sec. 10 & 15

13.07 a Sugar 18 in. dia.

29.10 a Hickory 18 " "

40.22 set g. sec. part at aver. dist. from which

a W. Oak 30 in. dia. bears N 10° W 35 M. dist. s

a Sugar 18 " " " S 78° E 25 " "

71.97 an Ironwood 6 in. dia.

80.44 to sec. cor.

South between Sec. 15 & 16

4.00 enter Windfall

8.00 leave "

10.19 a Beech 14 in. dia.

37.20 a Do 15 " "

40.00 set g. sec. part from which

an Ash 24 in. dia. bears S 22° W 6 M. dist. s

a Beech 6 " " " S 75° E 4 " "

48.50 old Road from Marion to Peru

51.38 a Beech 12 in. dia.

65.97 a Lym 30 " "

80.00 set part cor. of sec. 15, 16 & 21 & 22 from which

a Hickory 18 in. dia. bears N 43° W 21 M. dist. s

a Beech 30 " " " S 50° E 33 " "

North half mile level, South half mile
rolling good land, Timber as before noted.

T. 20 N., R. 6 E., T. Mer. Ind.^a
 Ch. Sp.

East on Random between Sec. 15 & 22

46.50 old Road, NW

80.01 Intersect N. S. line 22 Ws. N. of post -
 Sand rolling & good 2^d rate. Timber Beech,
 Sugar, Oak, Ash, Elm & Upr. Spice &c.

West Corrected between Sec. 15 & 22

13.06 a Sugar 18 in. dia.

33.12 a Do 10 " "

40.31 set of sec. post at aver. dist. from which
 an Elm 24 in. dia. bears S 53 E 29 Ws. dist. 8
 a Buckeye 12 " " S 13 W 55 " "

54.66 a Hickory 6 " "

69.35 a Beech 24 " "

80.01 to sec. corner. July 18. 1839

South between Sec. 21 & 22

12.00 old Road

13.26 a Beech 24 in. dia.

29.82 a Do 24 " "

40.00 set of sec. post from which
 a Beech 24 in. dia. bears North 27 Ws. dist. 8
 a Sugar 20 " " S 67 W 12 " "

59.09 a Walnut 30 " "

76.27 a Hickory 15 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which
 a Sugar 18 in. dia. bears N 26 W 17 Ws. dist. 8
 a Beech 18 " " S 21 E 22 " "
 Sand rolling st. rate. Timber Beech,
 Sugar, Oak, Ash, Walnut, Poplar & Upr.
 Spice, Pawpaw &c.

East on Random between Sec. 22 & 27

80.86 Intersect N. S. line 54 Ws. N. of post -

Sand rolling st. rate. Timber Beech, Sugar,
 Walnut, Oak, Ash & Upr. Spice, Pawpaw &c.

T. 20. N., R. 6. E. 2. Mer. Ind. a.
 6th. 1897

West Corrected between Sec. 22 & 27

13.40 a Buckeye 8 in. dia.

34.09 an Elm 36 " "

40.43 set of sec. part at avor. dint. from which
 a Hickory 36 in. dia. bears S 45 E 7 1/2 Ms. dint. 8
 a Beech 18 " " " N 64 W 37 " "

57.30 a Sugar 24 " "

79.66 a Hickory 24 " "

80.86 to sec. cor.

South between Sec. 27 & 28

11.58 a Beech 15 in. dia.

40.00 set of sec. part from which
 a Buckeye 10 in. dia. bears N 29 W 4 1/2 Ms. dint. 8
 a Do 12 " " " S 44 W 14 " "

44.34 set part on right bank of Minnissinewa R. from wh.
 aycamore 12 in. dia. bears N 21 E 22 1/2 Ms. dint. 8
 a Do 15 " " " S 44 W 41 " "

Land rolling & good but no River bottom,
 set the part at the foot of the Bluff. Timber
 Beech, Sugar, Ash, Elm, Oak, Walnut &c.
 Wp. Spruce &c.

South between Sec. 4 & 5

12.48 a Hickory 24 in. dia.

37.52 a Beech 15 " "

40.00 set of sec. part from which
 a Sugar 18 in. dia. bears S 57 E 27 1/2 Ms. dint. 8
 a Hickory 6 " " " North 12 " "

51.32 an Ash 24 " "

68.26 a Beech 18 " "

80.00 set part cor. of sec. 4, 5, 8 & 9 from which
 a Beech 18 in. dia. bears N 51 W 24 1/2 Ms. dint. 8
 a Do 12 " " " S 89 E 18 " "

Land rolling & good & rate. Timber Beech,
 Sugar, Oak, Elm, Ash, Poplar, Walnut &c. Spruce &c.

T. 20 N., R. 6 E. 2. Mer. Ind.^a
Elev. 1000

East on Random between Sec. 4 & 9

80.00 Intersect N. & S. line 3 M. S. of post -
Land level sweet. Timber Beech, Elm, Ash,
Oak, Hickory. Upr. Spice &c

West Connected between Sec. 4 & 9

7.06 a Swamp Ash 7 in. dia.

26.37 a B. Oak 30 in. dia.

40.00 set gr. sec. post at aver. dist. from which
a Beech 15 in. dia. bears N 56 E 31 M. dist. 2
a Poplar 48 " " " S 62 W 7 " "

44.41 a W. Oak 36 " "

59.54 a Beech 12 " "

80.00 to sec. cor.

South between Sec. 8 & 9

11.98 a Beech 28 in. dia.

30.08 a Swamp Ash 24 in. dia.

40.00 set gr. sec. post from which
a Beech 24 in. dia. bears N 77 W 9 M. dist. 2
a Do 30 " " " S 46 E 37 " "

52.30 an Ash 12 " "

67.70 a Do 36 " "

74.50 old Road from Marion to Peru, NW

80.00 set post cor. of sec. 8, 9, 10 & 7 from which
a Beech 12 in. dia. bears North 19 M. dist. 2
a Do 15 " " " S 43 E 17 " "Land rolling & 2^d rate. Timber Beech, Oak,
Ash, Sugar, Elm, Hickory. Upr. Spice, Prickly
Ash &c. July 19. 1839

East on Random between Sec. 9 & 16

3.00 old Road from Marion to Peru

80.35 Intersect N. & S. line 3 M. N. of post -
Land level sweet. Timber Beech, Oak, Elm, Ash,
Hickory &c. Upr. Spice &c.

T. 26 N., R. 6 E. 2. Mer. Ind.^a

Ch. 10¹

West Connected between Sec. 9 & 16

16.35 a Spruce 24 in. dia.

30.97 an Elm 6 " "

40.18 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 18° W 35 Yds. dist. S

an Ironwood 10 " " S 31° E 18 " "

48.00 an Ash 18 " "

71.99 a Do 18 " "

80.35 to sec. cor.

South between Sec. 16 & 17

12.59 a Beech 18 in. dia.

37.92 a Do 20 " "

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 41° W 14 Yds. dist. S

a Do 12 " " S 79° E 51 " "

52.91 a Beech 30 " "

68.10 an Elm 30 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a Beech 18 in. dia. bears N 57° W 7 Yds. dist. S

a Sugar 18 " " N 74° E 46 " "

Land rolling & Irregular. Timber Beech, Sugar,
Elm, Ash, Oak, Walnut &c. Upr. Spruce & P. Ash

East and Random between Sec. 16 & 21

80.54 Intersect N. Line 5 Yds. E. of post —

Land rolling Irregular. Timber Beech, Oak, Sugar,
Ash, Hickory &c. Upr. Spruce &c.

West Connected between Sec. 16 & 21

9.21 a Buckeye 12 in. dia.

25.73 a Beech 14 " "

40.27 set g. sec. post at aver. dist. from which

a Sugar 15 in. dia. bears N 38° E 11 Yds. dist. S

a Beech 18 " " South 64 " "

48.79 a Beech 18 " "

T. 26 N., R. 6 E. 2^d Mer. Ind.^a
 Chs. Ekr.

70.57 a Beech 18 in. dia.
 80.54 to sec. cor.

South between Sec. 20 & 21

16.25 a Beech 20 in. dia.
 30.79 a Do 15 " "
 40.00 set of sec. post from which
 an Elm 24 in. dia. bears N 12 W 9 lks. dist. &
 a Beech 24 " " " S 9 E 31 " "
 49.50 a stream 3 lks. wide runs E.
 50.89 a W. Oak 40 in. dia.
 70.14 a Beech 5 " "
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a Sugar 20 in. dia. bears South 29 lks. dist. &
 a W. Oak 20 " " " N 30 E 42 " "
 Sand rolling & T. water. Timber Beech, Oak, Elm,
 Ash, Sugar, Hickory & Wgs. Spice &c.

East on Random between Sec. 21 & 28

12.70 a stream 15 lks. wide runs SW
 18.75 a Do 6 " " " NW
 80.81 Intersect N. G. line 17 lks. N. of post
 Sand rolling & T. water. Timber Beech, Sugar,
 Oak, Ash, Elm, Hickory & Wgs. Spice &c.

West Corrected between Sec. 21 & 28

13.70 a Beech 15 in. dia.
 32.72 a Do 18 " "
 40.41 set of sec. post at aver. dist. from which
 a Sugar 20 in. dia. bears N 62 W 17 lks. dist. &
 a Beech 12 " " " S 48 W 10 " "
 51.97 a Beech 18 " "
 72.62 a Do 15 " "
 80.81 to sec. cor. July 20. 1839

South between Sec. 28 & 29

T. D. N., R. O. E. L. Mer. Ind.
Ch. Sk.

- 4.44 a Stream 20 Ws. wide corner NW
13.59 a Beech 18 in. dia.
34.87 a W. Oak 18 " "
40.00 set of sec. port from which
a Gum 14 in. dia. bears N 34 E 11 Ws. dist. 8
a Do 12 " " " N 70 W 9 " "
46.06 a Sugar 20 " "
65.59 an Ash 12 " "
80.00 set port cor. of sec. 28, 29, 32 & 33 from which
a Beech 36 in. dia. bears S 34 E 20 Ws. dist. 8
a Do 24 " " " N 48 W 45 " "
Sound broken 2^d rate. Timber Beech, Oak,
Ash, Sugar &c. Wyl. Spice &c

^{true line}
East on ~~Random~~ between Sec. 28 & 33

- 10.08 a Beech 6 in. dia.
31.00 descend to River bottom
34.95 an Elm 24 in. dia.
40.00 set of sec. port from which
a Beech 10 in. dia. bears N 32 W 16 Ws. dist. 8
a Do 12 " " " S 55 E 19 " "
49.29 a Hickory 10 " "
59.74 set port on right bank of Mississinewa R. from wh.
an Elm 28 in. dia. bears N 17 E 60 Ws. dist. 8
a Buckeye - " " " N 27 W 41 " "
Sound 1st rate. Timber Beech, Sugar, Wal-
nut, Ash, Oak &c. Wyl. Spice, Pawpaw &c

South between Sec. 32 & 33

- 8.54 set port on right bank of Mississinewa R. from wh.
a H. Locust 24 in. dia. bears N 69 E 21 1/2 Ws. dist.
a Sugar 28 " " " N 57 W 20 1/2 " "
This port stands about 100 Ws. from the corner
of Silver heels a Miami Indian (Above
the house)

T. 20 N., R. 6 E. 2. Mer. Ind. a

Chas. Sk.

West between Sec. 29 & 32

12.72 a Beech 18 in. dia.

14.00 River bottom

23.19 dit part on right bank of Mississinewa R. from wh.
 a Sycamore 15 in. dia. bears S 48 E 39 W. dist 2
 a Do 14 " " " N 24 E 30 " "
 Sand 1. rate. Timber as before described.

South between Sec. 5 & 6

4.50 Road from Marion to Peru

17.18 a Sugar 15 in. dia.

31.25 a Poplar 40 " "

40.00 dit gr. sec. part from which

a Maple 18 in. dia. bears N 64 W 5 W. dist 2

a Bur Oak 12 " " " N 78 E 27 " "

49.85 an Ash 20 " "

60.59 a Poplar 12 " "

80.00 dit part on. of sec. 5, 6, 7 & 8 from which

a Beech 14 in. dia. bears S 85 E 43 W. dist 2

a Poplar 28 " " " N 73 W 38 " "

Sand rolling & good. Timber Beech, Oak,
 Poplar, Elm, Ash, Sugar & W. W. Spruce &c.

East on Random between Sec. 5 & 8

22.50 old Road NW

79.97 Intersect N. S. line 4 W. N. of part -

Sand rolling & good. Timber Beech, Oak,
 Poplar, Sugar, Ash & W. W. Spruce &c.

West Connected between Sec. 5 & 8

18.51 a Beech 18 in. dia.

37.28 a Poplar 18 " "

39.98 dit gr. sec. part at aver. dist. from which

a Beech 12 in. dia. bears N 32 E 13 W. dist 2

a Do 22 " " " S 47 W 10 " "

50.92 a W. Oak 36 " "

T. D. N., R. O. O. 2^d Mer. Ind.^a
Ch. Sp.

67.69 a Sugar 10 in. dia.

79.97 to sec. cor.

July 21. 1839

Went on Random between Sec. 6 & 7

69.77 Intersect W. Boundary 16 Ms. S. of post—

Land rolling 2^d rate. Timber Beech, Oak,
Poplar, Ash, Elm, Sugar & W. Spruce &c.

East Corrected between Sec. 6 & 7

Bearings for corner in W. Boundary:

a Beech 14 in. dia. bears N 64 E 15 Ms. dist. 2

a Sugar 24 " " S 33 E 44 " "

12.07 a B. Oak 18 " "

27.33 a Beech 18 " "

29.77 set of sec. post from which

a B. Oak 12 in. dia. bears N 40 W 17 Ms. dist. 3

a Do 12 " " S 12 E 12 " "

44.55 a Poplar 24 " "

54.88 a Beech 18 " "

69.77 to sec. cor.

South between Sec. 7 & 8

12.82 a Poplar 36 in. dia.

26.95 a Sugar 15 " "

40.00 set of sec. post from which

a Beech 20 in. dia. bears N 40 W 2 Ms. dist. 3

a Poplar 12 " " S 32 W 36 " "

51.51 a Beech 18 " "

69.00 a Poplar 30 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 15 in. dia. bears N 21 W 12 Ms. dist. 3

alg. Ash — " " S 85 E 22 " "

Land rolling 2^d rate. Timber Beech, Oak, Ash,
Poplar, Elm, Sugar, Gum &c. W. Spruce &c.

East on Random between Sec. 8 & 17

446

T. 20 N., R. 6 E. 2. Mer. Ind. a

Chr. Chr.

80.13 Intersect N. & S. line 10 Ws. N. of part -
Land level wet. Timber Beech, Oak, Elm,
Hickory, Ash, Maple & W. Spruce &c

West Connected between Sec. 8 & 17

13.27 a Beech 14 in. dia.

27.61 a Do 12 " "

40.07 set g. sec. part at over. dirt from which
an Ash 24 in. dia. bears N 60 E 15 Ws. dirt &
a Maple 20 " " " S 54 W 55 " "

52.21 an Ash 18 " "

67.31 a Bur Oak 24 " "

80.13 to sec. cor.

West in Random between Sec. 7 & 18

70.35 Intersect W. Boundary 27 Ws. S. of part -
Land rolling 2. rate, Timber Beech, Oak,
Hickory, Ash &c

East Connected between Sec. 7 & 18

Bearings in W. Boundary for cor. of Sec. 7 & 18

a Beech 12 in. dia. bears N 47 E 13 Ws. dirt &

a Do 24 " " " S 17 E 15 " "

9.89 a Hickory 12 in. dia.

24.93 a B. Oak 36 " "

30.35 set g. sec. part from which

a Maple 15 in. dia. bears N 32 E 19 Ws. dirt &

an Elm 28 " " " N 30 W 15 " "

40.48 a Beech 24 " "

53.42 a Do 16 " "

70.35 to sec. cor.

South between Sec. 17 & 18

12.28 a Gum 24 in. dia.

27.63 a Sugar 18 " "

40.00 set g. sec. part from which

447

T. C. N., R. C. D. Mer. Ind.^a
Chas. H. P.

a Bur Oak 40 in. dia. bears N 88 E 18 W. dist. 3
an Ash 14 " " " S 57 W 35 " "
57.99 a Beech 14 " "
69.48 a Do 24 " "
80.00 set post cor. of sec. 17, 18, 19 & 20 from which
a Poplar 30 in. dia. bears N 35 E 14 W. dist. 3
a Beech 18 " " " West 28 " "
Land rolling 2. rate. Timber Beech, Oak,
Ash, Poplar, Elm, Hickory, Sugar & Spice.

East on Random between Sec. 17 & 20

80.55 Intersect N & S. line 12 W. N. of post -
Land rolling & good. Timber Beech, Sugar,
Oak, Elm, Ash, Gum, Poplar & Spice &c.

West corrected between Sec. 17 & 20

11.60 an Greenwood 11 in. dia.
25.07 a Poplar 28 " "
40.28 set of sec. post at corner dist. from which
a Beech 20 in. dia. bears N 43 W 35 W. dist. 3
a Do 12 " " " S 47 W 20 " "
50.04 a Beech 15 " "
60.04 a Do 18 " "
80.55 to sec. cor. July 22. 1839

South between Sec. 19 & 20

16.24 a Beech 10 in. dia.
32.70 a Stream 10 W. wide course SW
39.43 a Beech 18 in. dia.
40.00 set of sec. post from which
a Beech 20 in. dia. bears N 41 W 34 W. dist.
a Do 10 " " " N 76 E 26 " "
52.90 a Beech 20 " "
69.73 a cherry 10 " "
74.21 set post on right bank of Mississin. R. from which
a Buckeye 12 in. dia. bears N 18 W 5 W. dist. 3

T. 26 N., R. 6 E. 2^d Mer. Ind.^a

Ch. Sp.

- a Beech 24 in. dia. bears S 81 E 31 Ws. dist.
 78.30 over River, set post on left bank from which
 a W. Oak 30 in. dia. bears S 86 W 3 Ws. dist. 2,
 a Beech 12 " " " S 59 E 11 " "
 80.00 set post cor. of sec. 19, 20, 29 & 30 from which
 a Beech 12 in. dia. bears N 64 E 24 Ws. dist. 3
 a Do 14 " " " S 74 W 35 " "
 (Description of land &c omitted)

East or Random between Sec. 20 & 29

- 0.00 Intersect left bank of Mississinewa River
 12.00 leave River on the same bank
 26.30 Intersect left bank of Mississinewa River
 40.09 over River
 81.21 Intersect N. & S. line 19 Ws. N. of post—
 Land West of River 3rd rate, East side rolling 1st
 rate. Timber Beech, Sugar, Oak, Ash, Elm & Spruce.

West Connected between Sec. 20 & 29

- 23.32 a Sugar 8 in. dia.
 34.42 a Beech 18 " "
 40.00 set gr. sec. post at aver. dist. from which
 a Beech 24 in. dia. bears S 63 E 17 Ws. dist. 3
 a Do 18 " " " S 74 W 31 " "
 41.11 set post on right bank of Mississinewa R. from which
 a Sugar 12 in. dia. bears S 46 E 14 Ws. dist. 3
 a Buckeye 20 " " " N 60 W 20 " "
 54.90 set post on left bank of River from which
 a Beech 24 in. dia. bears N 59 W 5 Ws. dist. 3
 a Ironwood 8 " " " S 53 E 26 " "
 69.20 set post on left bank again from which
 a Beech 20 in. dia. bears S 89 W 15 Ws. dist. 3
 a Do 10 " " " S 38 E 17 " "
 75.20 set post on left bank of River again from which
 a W. Oak 10 in. dia. bears S 68 E 20 Ws. dist. 4
 a B. Oak 18 " " " N 55 W 24 " "

T. 26 N., R. 6 E., T. 1 Mer. Ind.?

Ch. 1st.

81.20 to sec. cor.

West on Random between Sec. 19 & 30

41.50 a Stream 10 Ws. wide course N.

71.12 Intersect W. Boundary 31 Ws. S. of post -
Land broken but rich.

East Connected between Sec. 19 & 30

Bearings for corner in W. Boundary:

a Beech 20 in. dia. bears N 10 E 13 Ws. dist. 8

a Do 18 " " " S 15 E 40 " "

11.31 a Buckeye 12 in. dia.

31.12 set of sec. post from which

a Beech 14 in. dia. bears N 42 E 6 Ws. dist. 8

a Sugar 24 " " " S 40 W 26 " "

44.06 a Buckeye 8 " "

60.83 an Elm 18 " "

71.12 to sec. cor.

South between Sec. 29 & 30

8.24 a Beech 18 in. dia.

13.00 Intersect S. Boundary of Cession, set post from wh.

a Sugar 12 in. dia. bears N 18 E 20 Ws. dist. 8

a Beech 14 " " " S 49 W 43 " "

Measured along the S. Boundary of the Cession
East 39.76 Ch. to the eastern termination of the
Boundary on the Mississinewa River.

Measured from the corner of Sec. 18 & 19 along
the Range line North 20.14 Ch. to the North
Boundary of Grant N. 20, set post from which
a Beech 18 in. dia. bears S 89 E 18 Ws. dist. 8
a Do 24 " " " S 74 W 3 " "
July 23. 1839

T. 26 N., R. 6 E. 2. Mer. Ind. a

Meanders of Mississinewa River. Right bank down stream. Beginning at post in S.W. corner of Grant N. 22, thence:

Courses	Chs.	Remarks.
West	4.00	In Sec. 23
S 70° W	3.50	
S 50° W	5.00	
S 25° W	4.11	to post in line between Sec. 23 & 26
S 44° W	8.00	In Sec. 26
S 80° W	3.50	
N 70° W	5.00	
N 81° W	5.00	
S 83° W	4.00	
S 69° W	4.00	
S 69 1/4° W	6.54	to post in line between Sec. 26 & 27
S 58° W	4.50	In Sec. 27
S 31° W	6.50	at 3.00 Chs. Limestone precipice
S 12° W	4.50	
S 11° E	8.00	at 3.50 Chs. leave precipice
S 34° W	5.50	
S 58° W	8.00	
S 77° W	5.00	
N 75° W	5.50	Head of an Island
N 20° W	4.50	
N 48° W	6.00	Limestone precipice
N 66° W	6.50	
N 86° W	5.50	
S 77° W	7.00	at 4.00 Chs. lower end of Island
S 56° W	18.50	at 9.00 Chs. leave precipice
S 74° W	7.50	at 2.00 Chs. Head of Island - at 5.00 Chs. a
S 78° W	5.00	Stream 6 Chs. up side from N.
S 61° W	3.00	to post in line between Sec. 27 & 28

451

T. 20 N., R. 6 E. 2. Mer. Ind.^a

Courses Ch. Sta.

Remarks

S52°W 5.00 In Sec. 28 — lower end of Island
 S34°W 3.50
 S19°W 12.50 at 2.00 Ch. limestone precipice — at end leave do.
 S40°W 2.00
 S27°W 14.00
 S45°W 5.54 to port in line between Sec. 28 & 33

S57°W 13.50 In Sec. 33
 S63°W 7.50
 S68°W 22.50
 N88°W 3.00
 N69°W 4.50 at 1.50 Ch. an Indian Cornfield
 N61°W 5.50
 N41°W 8.00 at 1.50 Ch. leave Cornfield
 N84½°W 3.21 to port in line between Sec. 32 & 33

N89°W 11.00 In Sec. 32
 N81°W 9.50
 N42°W 3.50
 N11½°W 4.32 to port in line between Sec. 29 & 32

N8°E 2.50 In Sec. 29
 N39°E 2.50
 N58°E 8.50
 N36°E 12.50
 N14°E 12.75 at 4.00 Ch. Head of Clay bluff
 N25°E 3.00
 N9°E 7.50
 N6°W 8.00
 N35°W 4.50
 N60°W 2.00
 West 3.50
 S67°W 3.50
 S57°W 9.00
 S36°W 7.00 leave Clay Bluff
 S67°W 14.00

T. 26 N., R. 6 E. 2^d Mer. Ind.?

Courses Chs. Ebs.

Remarks

N 73° W 3.50

N 37° W 4.00

N 10° E 9.00 Head of Limestone precipice & at 5.00 Chs. there is a perpendicular precipice called the double cliffs, on each side of the river.

N 16° W 4.00

N 46° E 4.50

N 26° E 6.00

N 15° E 9.75 at 5.50 Chs. a Stream 20 Yds. wide from E.

N 29° W 8.00

N 54° W 2.38 to put in line between Sec. 20 & 29

N 46° W 3.50 In Sec. 20

N 69° W 6.00

N 81° W 8.00

N 66° W 5.50

S 63° W 12.50

N 70° W 3.50

N 51° W 2.00

N 64° W 3.09 to put in line between Sec. 19 & 20, being the S.E. corner of Grant N. 26
July 24. 1839

Left bank down stream. Beginning at the eastern termination of the S. Bound-ary of the Session, thence:

N 20° E 3.00 In Sec. 29

N 2° W 3.00

N 53° W 5.00 Head of an Island

S 89° W 5.70 to the top of limestone precipice

N 31° W 2.00 lower end of Island

N 60° W 2.20

N 47° W 2.25 to put in line between Sec. 20 & 29

N 71° W 9.00 In Sec. 20 - at 2.00 Chs. descend precipice

S 79° W 3.00

T. 20 N., R. 6 E., 2^d Mer. Ind.^a

Courses	Ch. Ch.	Remarks.
S 50 1/2 W	3.70	to put in line between Sec. 20 & 29
S 83 W	4.50	In Sec. 29 again
N 70 W	1.62	to put in line between Sec. 20 & 29
N 73 W	3.50	In Sec. 20 again
N 75 W	2.74	to put in line between Sec. 19 & 20
N 67 W	5.75	In Sec. 19
N 52 W	15.25	at 7.00 Ch. descend Bluff by gentle slope at 13.00 " a Stream 100 yds. wide from S
N 83 W	5.00	
N 75 W	5.50	Head of an Island
S 81 W	3.50	
N 81 W	5.50	
N 66 W	4.00	
N 42 W	12.00	at 5.00 Ch. lower end of Island
N 20 W	4.50	
N 49 W	16.00	
N 43 W	9.50	
N 77 W	8.00	
S 80 W	4.50	
S 74 W	1.22	to put in West Boundary of Township. July 25. 1839

Chauncy Carter
Deputy Surveyor.

T. 26 N., R. 6 E. 2^d Mer. Ind.^a

I hereby certify that in pursuance of a contract with E. S. Haines, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 20th day of April 1839, and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections Township N.^o 26 North of Range N.^o 6 East of the 2^d Principal Meridian in the State of Indiana. And I do further certify that the foregoing are the true and original field notes of the said survey and subdivision, executed as aforesaid.

Certified this 1st day of August 1839

Chauncy Carter

Deputy Surveyor.

J. M. Keep } Chain carriers

Wm. J. Shaver, Marker

I certify that the foregoing transcript of Field Notes of the survey of Township N.^o 26 North of Range N.^o 6 East of the 2^d Principal Meridian in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Feb. 17, 1845

William Johnston
Sur. Genl.

INDEX MAPS.

T.25 N. R. 6 E . 2^d Mer.

314	315	315	316	316	317	
320 6	360 5	344 4	341 3	334 2	326 1	314
360	359	348	340	333	326	
319 7	358 8	348 9	340 10	332 11	325 12	313
357	357	347	339	332	325	
319 18	356 17	346 16	339 15	331 14	324 13	313
355	354	346	338	330	323	
318 19	354 20	345 21	337 22	330 23	323 24	313
353	352	344	337	329	322	
318 30	351 29	343 28	336 27	328 26	321 25	312
351	350	343	335	328	321	
317 31	349 32	342 33	334 34	327 35	320 36	312
309	309	309	310	311	311	

T.26 N. R. 6 E . 2^d Mer.

McAndrews Page 377. Davis Page 380

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
318 30	377 29	28	27	372 26	370 25
375	376	373	372	370	No 4.
318 31	375 32	374 33	371 34	369 35	367 36
365	365	366	366	367	368

No 5

The figures on the lines refer to the page.

365.

Township No. 26 N. Range No. 6 E. 2nd Mer. Indiana.

South Boundary.

Var. 4th 10 East

189506 On S. Boundary of Sec. 31.

20.20 an Elm 12 in. diam.

35.00 Set 2nd Sec. post pr. wh.

a Beech 12 in. diam. to N. 58 W. 52 lbs. &

a Do 10 " " " S. 23 E. 17 "

56.87 a B. Ash 8 " "

75.00 Set post Cor. to Sec. 31 & 32 pr. wh.

a B. Ash 10 in. diam. to N. 39 E. 18 lbs. &

a Spruce 10 " " " N. 36 W. 37 "

Same soil, and in wet seasons
very wet - rich first rate soil - Timber
W. & B. Ash. Elm. Maple. Ironw. W. Wood.
Spruce - P. Ash & Birch

189508 On S. Boundary of Sec. 32. - Var. 3rd 55 East.

15.00 Clear Low B. Ash Lane N. & S.

16.72 a B. Oak 24 in. diam.

39.00 Bed of Stream 10 lbs. wide co. E. & N. E.

40.00 Set 2nd Sec. post pr. wh.

a Beech 12 in. diam. to N. 23 E. 23 lbs. &

a Do 8 " " " S. 11 E. 46 "

40.50 a Road E. & N. E.

43.00 Bed of Stream 10 lbs. wide S. E. & N. W.

46.00 " " " N. E. & S. W.

58.30 " " " S. E. & N. W.

58.55 a Beech 10 in. diam.

75.00 Ascending Bank 20 ft. S. E. & N. W.

78.00 Bed of Stream co. S. E. & N. W.

80.00 Set post Cor. to Sec. 32 & 33 pr. wh.

a Beech 12 in. diam. to N. 65 W. 30 lbs. &

a Sugar 14 " " " N. 64 E. 53 "

Same gently rolling first rate
Beech, Sugar, Ironw. B. Walnut, Hickory, W.
Wood, W. & B. Oak. - P. Ash & Spruce -

T. 26 N. R. 6 E. 2nd Mer. Indiana

Chs. lks.

N. 89.50° E. On S. Boundary of Sec. 33. Mar. 3.55' E.

22.75 To West Lim of Claim & Set post p. wh.
a Beech 12 in. diam. b. S. 15° E. 27 lks.
a Sugar 15 " " " S. 25° W. 34 "Measured S. 15° E. along
Western Lim of Float claim 2.70 to
S. W. Cor. of same45.00 Spring Brook 8 lks. wide co. Northwly
80.00 Cor. to Sec. 33 & 34 in Float claim -Land gently rolling first
rate. Beech, Sugar, B. Walnut, Hickory,
Ironw. W. Wood, Gyn. Elm, Boxwood,
Mulberry &c.

N. 89.50° E. On S. Boundary of Sec. 34 Mar. 4.20 E.

31.00 a Stream 10 lks. wide co. N. W.

33.43 To Eastern Lim of Float claim No. 5
and Set post (2 have do) p. wh.a Beech 10 in. diam. b. N. 25° E. 50 lks.
a Buckeye 8 " " " S. 77° E. 14 "Measured S. 13° E. 92 lks. to S. E.
Cor. of Float claim No. 540.00 Set 2nd Sec. post p. wh.a Sugar 10 in. diam. b. N. 64° W. 25 lks.
a Do 12 " " " N. 70° E. 20 "

54.50 an Elm 15 " " "

64.00 a Stream 10 lks. wide co. North
Rapid & shallow

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

a Beech 16 in. diam. b. N. 17° E. 52 lks.
a Do 10 " " " N. 65° W. 73 "Land, rolling first rate
Clay soil. B. Walnut, Beech, W. & R. Oak
Sugar, Gyn. Ironw. W. Wood, Elm,
Hickory &c.

367.

T. 26. N. R. 6 E. 2nd Mer. Indiana.

ch. bk.

- 189.50 On S. Boundary of Sec. 35. Var. 4° 20' East
 12.50 a Road N. & S.
 15.50 Bed of Stream 10 lks. wide co. Northwly
 25.52 a Sugar 12 in. diam
 40.00 Set 2nd Sec. for p. wh.
 a Beech 15 in. diam. b. N. 86 E. 33 lks. &
 a Do 12 " " " N. 31 W. 41 "
 53.50 Bed of Stream 12 lks. wide co. North
 61.50 a Road N. & S.
 64.25 a W. Oak 30 in. diam.
 70.25 a Road N. & S.
 76.50 Bed of Stream 8 lks. wide co. N. E.
 80.00 Set for Cor. to Section 35 & 36. p. wh.
 a Hickory 12 in. diam. b. N. 35 W. 30 lks. &
 a Do 12 " " " N. 33 E. 92 "
 Land rolling first rate - Beech,
 Sugar, B. Walnut, Hickory, & Gum. Elm,
 W. & R. Oak. p. - not much growth.

-
- 189.50 On S. Boundary of Sec. 36. Var. 4° 20' East
 24.40 a W. Oak. 12 in. diam.
 40.00 Set 2nd Sec. for p. wh.
 a Beech 10 in. diam. b. N. 25 W. 22 lks. &
 a Cherry 6 " " " N. 18 E. 10 "
 56.50 Enter N. Margin of Field N. & S.
 74.50 Clear Do N. & S.
 80.00 Set for Cor. to Towns 25 & 26 North.
 Range 6 & 7 East - p. wh.
 a B. Oak. 15 in. diam. b. N. 72 E. 68 lks. &
 a Beech 20 " " " N. 52 W. 53 "
 (Intersited 1.20 S. of Random Cor.)
 Land rolling first rate
 Timber same as last mile -

East Boundary

Var. 4° 20' E.

T. 26 N. R. 6 E. 2nd Mer. Indiana
 Chs. Lks.

Survey of that portion of
 East Boundary - S. of - Resum N. 4,
 by John Mullitt - in 1846. -

N. 10th. On E. Boundary of Sec. 36.

5.00 Bed of Stream 10th wide co. S. E.

12.28 To S. Boundary of Resum N. 4. and
 Set post from which
 an Elm 24 in. diam. B. 438.92 lbs.
 a Beech 15 " " S. 60 W. 120 "

Measured S 88.20° along S.
 Boundary of Resum N. 4 - 54.16 to S.
 W. Cor. of same - and measured
 N 88.20° E. along S. Boundary of N. 4.
 10.30 to S. E. Cor. of N. 4.

Land for same
 Surveyed October 22, 1846 by
 John Mullitt
 Depy. Surveyor.

West Boundary.

Var. 11° 33' E.

North On E. Boundary of Sec. 36. T. 26 N. R. 5 E.

19.00 a Horn 3.00 E. of line

24.65 a Beech 10 in. diam. plain low B. ash & low E. ash.

40.00 Set 2nd Sec. post fr. wh.

a Beech 18 in. diam. B. 452 E. 40 lbs. &

a Do 12 " " S. 52 W. 27 "

60.21 a Do 10 " "

80.00 Set post Cor. to Sec. 25 & 36. fr. wh.

a Beech 18 in. diam. B. 460 W. 39 lbs. dis

a Sugar. 15 " " S. 49 W. 10 " "

Land sold for a 2nd rate. clay soil - Beech,
 Sugar, Iron W. W. B. Oak. W. B. Ash. Elm. Hickory
 and yew - Spruce & P. Ash.

N. 5th. On E. Boundary of Sec. 25. T. 26 N. R. 5 E.

369.

T. 26 N. R. 6 E. 2nd Mer. Indiana.

chs. lks.

- 17.83 a Beech 12 in. diam.
 30.50 Enter deadening E. & W.
 39.50 Leave do
 46.00 Set 2^d Sec. post p. wh.
 a Beech 10 in. diam. to N. 27 E. 31 lks. &
 a Sugar 8 " " " N. 66 W. 33 "
 40.10 a Stream 6 lks. wide co. N. E.
 47.00 Road from Peru to Marion E. & W.
 61.44 To Line on N. Boundary of Miami
 Reserve and took bearings
 a Beech 15 in. diam. to S. 48 E. 13 lks. &
 a W. Ash 12 " " " S. 51 W. 33 "

Land Soil good 2nd rate. clay soil - Timber
 Beech. Sugar. Hickory. W. R. Oak. Ironwood &c
 Wmth. Spruce

Surveyed Oct 21. 1846 by John Mullitt

J. J. Surveyor

Subdivision

Var. 435' East

North Return Sections 35 & 36

- 6.00 a Road bears S. E.
 12.24 a Sugar 24 in. diam.
 15.00 a Branch 10 lks. wide co. East
 26.50 a Branch again 10 " " N. W.
 31.29 a Hickory 18 in. diam.
 40.00 Set 2^d Sec. post p. wh.
 a G. Ash 12 in. diam. to N. 20 W. 12 lks.
 a do 14 " " " S. 84 E. 23 "
 45.00 East 2.00 Large Willow Swamp
 65.00 S. W. Cor. of H. Newsprans Farm -
 Contains 15. acres
 78.00 South 1.00 N. W. Cor. of Farm
 78.50 State Road fr. Peru to Marion to East
 80.00 Established Cor. to Secs. 25. 26. 35. 36. p. wh.
 a Beech 12 in. diam. to N. 53 E. 16 lks.

T26 N. R. & E. 2nd Mer. Indiana

ch. lks.

a W. Oak 30 in diam. lks. 130 E. 38 lks.

Lane this 80.00 Seal second
rate Timber W. Oak, Sugar, Hickory,
Lynx & Beech. - Thick. Underth. of Spine
Iron & Beech

189.50 E. Between Section 25 & 36. Var. 4. 20' E.

10.96 a Beech 12 in. diam.

18.63 a Sugar 18 " "

24.19 Intersected W. Boundary of Reserve or Claim

N. 4. Established Cor. to Sec. 25 & 36 p. wh.

a Walnut 20 in. diam. lks. 32 W. - lks.

a Buckeye 10 " " lks. 66 W. 78 "

North Along W. Boundary of Claim N. 4
19.96 to N. W. Cor. on the Mississippi
River

South Along W. Boundary of Claim N. 4.
62.86 to the S. W. Cor.

Lane Seal good second
rate Timber W. Oak, Sugar, Beech -
Walnut & E. Ash. Underth. Spine & Beech
Scattering

North Between Section 25 & 26. Var. 4. 35' E

12.60 a Beech 18 in. diam.

25.50 Begin descent of Hill Elev. 50' l.
Bottom Lane

28.00 Foot of Hill

31.17 a Sugar 12 in. diam.

32.00 Old Cornfield extends to River

40.00 Set 2nd Sec. first p. wh.

a Blue Ash 30 in. diam. lks. 72 W. 122 lks.

an Elm 24 " " lks. 85 E. 12 "

43.16 Intersected Left Bank of the

T. 26 N. R. 6 E. 2nd Mer. Indiana ³⁷¹
Ch. Co.

Mississineway River corner N. 63 W.
Established Cor. to Sec. 25 & 26 p. wh.
a Buckeye 8 in. diam. to South 10 lbs. &
a Hackberry 24 " " " 189 W. 41 "

Land first 25.00 Land second
rate - Timber W. Oak, Sugar, Hickory &
Beech - Last 15.16 Bottom Land - rich soil -
Timber Hackberry, Ash, Buckeye & Elm -
Wright, on first 25.00 Price - Scattering

North Between Sections 34 & 35 Mer. 43 1/2 E.
18.50 Descent of Land 10 feet - Elev. 60°.

19.00 a Branch 6 lbs. wide co. W.

20.19 a Beech 12 in. diam.

21.00 East 5.00 L. Hook in front 20 acres.

25.00 1.00 W. - S. E. Cor. of R. Rodgers Improv.

31.00 a Sugar 20 in. diam.

40.00 S. 1/2 2nd Sec. p. wh.

a G. Ash 14 in. diam. to N. 36 1/2 W. 6 lbs. &

a Buckeye 24 " " " 133 W. 27 "

40.25 West 50 lbs. N. E. Cor. of Improv.

46.00 East 5.00 Wm. Bright's farm contains
50 Acres & Log House

49.50 a Branch 10 lbs. wide co. West

53.00 a Hickory 18 in. diam.

59.00 Gradual Ascent of Land Elev. 20°

60.50 a Road runs E. & W. to Farm

65.10 a Beech 20 in. diam.

80.00 Established Cor. to Sec. 26, 27, 34 & 35 p. wh.

a G. Ash 30 in. diam. to S. 64 1/2 E. 36 lbs. &

a Hickory 18 " " " 143 W. 21 "

Land first 18.50 gently rolling
second rate - Timber W. Oak, Sugar, and
Beech - West 40.50 Bottom Land -
first rate - Timber W. Oak, Poplar, Walnut,
Buckeye, Gum & Beech - Last 21.00

372.

Tb. N. R. & E. 2nd Mer. Indiana.
 ch. lks.

rolling 2nd rate Timber W. Oak. Hickory,
 Lym. & Elm. - Wood. th. Spice
 Iron. & Beech

1895. On Random Betw. Sec. 26 & 35

Variation 4.20' East

8.00 a Road bears North
 40.00 1st Temp. post
 70.00 State Road fr. Pen to Marion Co. E.
 80.25 Intersected N. E. Line 10 lks. N. of post
 Liana this 80.25 1st L. gove
 Second rate - Timber W. Oak. Poplar,
 Lym., Sugar, G. Ash, & Beech. Thick
 W. th. of Spice, P. Ash, Iron. & Beech

1895. 4th Establishe Line Betw. Sec. 26 & 35

15.18 a Beech 20 in. diam
 35.56 a Do 24 " "
 40.12 1st 2nd Sec. post p. wh
 a Hickory 18 in. diam. N. 1/4 E. 15 lks. &
 a Beech 24 " " " N. 1/4 E. 30 "
 49.83 a Lym 20 " "
 65.10 a Sugar 18 " "
 80.25 to Sec. Cor.

North Return Section 26 & 27 Var. 4.35' East

11.00 Benj. W. M.'s Improv. 15 Aers & Log House
 20.00 State Road fr. Pen to Marion Co. E. & W.
 22.00 Clear Improvement
 28.00 Descent of Bank to Ravine Elev. 440'
 32.00 a Branch 4 lks. wide co. N. E.
 34.00 Beam Ascent of Hill - Elev. 60'.
 37.00 Summit
 37.50 Begin Descent of Bluff - Elev. 80'.
 39.00 Foot of Bluff
 40.00 1st 2nd Sec. post p. wh.

to north

373.

T. 26 N. R. 6 E. 2nd Mer. Indiana
ch. lks.

a W. Oak 30 in. diam. b. 181 W. 48 lks. x
a Beech 20 " " " 147 E. 29 "
45.00 Begin Descent of 2nd Bluff Bank. Elev. 80:
49.00 Low Bottom Land
59.00 Intersected the Left Bank of the Mississippi
River course 120 W. Set post to Oct 26 & 27
a Blue Ash 20 in. diam. b. 123 W. 6 lks. x
a Do 20 " " " 131 E. 68 "
Land from 37.50 Rolling second
rate Timber W. Oak, Beech & Sugar. Next
8.00 Low Bottom Land, first rate Timber
Hackberry, W. Oak, Buckeye & Beech. 1 E. & L
4.00 Ridge second rate Land 10.00 Low Bottom
rich soil. Subject to inundation Timber Beech
Sugar Buckeye & Gum

North From Temp. 7. post Cor. to Sections
33 & 34 in. Abol Claim No. 5.
80.00 Temp. 7. Sec. Cor. post in Reserve or
Section No. 5.

1895th. On Random from Temp. 7. post Between
Sections 27 & 34 - Var. 420' East
13.11 E. Boundary of Sec. No. 5. or Twin
Spring Section
39.00 a Road cross N.W.
40.00 Set Temp. 7. post
80.25 Intersected N. & S. Line 20 lks. N. of post
Land last 67.14 Set second
rate Timber W. Oak, Hick, Sugar,
Poplar & Beech - April 20th 1847

1895th. Established Line Between Sec. 27 & 34
10.34 a Beech 20 in. diam.
30.51 a Do 12 " "
40.12 Set 2nd Sec. post p. w. h.

374.

T. 26 N. R. 6 E. 2nd Mer. Indiana,
ch. bk.

- a Sugar 18 in. diam. $\frac{1}{2}$ 4 E. 44 lbs. dia.
 " Do 18 " " " N. 30 W. 27 " "
 50.63 a Do 24 " "
 53.00 a Lym 36 " "
 67.14 Established Cor. on E. Boundary. Line
 of Section 4th 5. p. 10 h.
 a Beech 18 in. diam. $\frac{1}{2}$ 17 E. 28 lbs. x
 a Sugar 10 " " " 76 E. 11 "
 N. 13 W. along E. Boundary 27.00 to the
 N. E. Cor. on Mississippiway River
 S. 13 E. along E. Boundary 82.50 to the
 South East Corner

- North Between Sections 32 & 33 1st 435' East.
 18.00 a Beech 12 in. diam.
 29.72 a W. Oak 24 " "
 35.00 S. W. Cor. of Improvement
 36.00 Begin Ascent of Hill Elev. 60'
 40.00 S. E. 2nd Sec. just p. 10 h.
 a Beech 12 in. diam. $\frac{1}{2}$ 29 W. 63 lbs. x
 a Do 10 " " " N. 63 E. 22 "
 41.00 Foot of Hill
 41.50 Near Improvement
 45.50 State Road from Perry to Marion S. 26 W.
 49.00 a Buckeye 12 in. diam.
 58.41 Intersutee Left Bank of Mississippiway
 River. $\frac{1}{2}$ W. 1st Cor. to Sec. 32 & 33 p. 10 h.
 a Buckeye 8 in. diam. $\frac{1}{2}$ 32 W. - lbs. x
 a Do 6 " " " S. 12 E. " "
 Land first 36.00 Surt Second
 rate Timber W. Oak, Poplar, Hick, Sugar, &
 Beech - Last 22.41 Low Bottom Land -
 rich soil - Timber Hackberry R. Elm,
 Buckeye, Sycamore and Beech -
 Indgth. on first 36.00 Spruce - Scattering

T. 26. N. R. 6 E. 2nd Mer. Indiana. 375.

chs. 66.

North Betwren Section 31 & 32 Var. 4.35 East
 10.00 an G. Ash 12 in. diam.
 18.00 Lean Ash & Elm Swamp.
 23.00 a W. Oak 24 in. diam.
 34.71 a Beech 12 " "
 40.00 Set 2nd Sec. first p. wh.
 a Poplar 30 in. diam. to N. 2 1/2 E. 20 lbs. x
 a R. Oak 20 " " " N 83 W. 29 "
 53.00 a Road bears E. & W.
 65.00 a Road bears E. & W.
 73.50 State Road p. Perm to Marion S. 30 E.
 80.00 Established Cor. to Sec. 29. 30. 31. 32. p. wh.
 a Red Oak 36 in. diam. to S. 1 W. 10 lbs. x
 a W. Elm 20 " " " N 9 W. 9 "
 Land first 18.00 Swamp. third.
 rate - Timber Ash, Elm & Oak. Last 62.00
 Land second rate - Timber W. Oak. R.
 Oak, Sugar, Hickory, Beech. Width.
 of Spruce Ironwood & Beech - Scattering

289.30 W. On Random Betw. Sec. 30 & 31
 Variation 4.20 East

9.00 State Road p. Perm to Marion S. 80 E.
 10.00 a Branch 66. wide co. North
 40.00 Set 2nd Sec. first
 74.11 Intersected W. Boundary. 60 lbs. N. of first
 Land this 74.11 Land second
 rate - Timber W. R. Oak, Sugar, Poplar,
 G. Ash & Beech - Scattering Width
 of Spruce Ironwood & Beech

289.03 E. Established Line Betw. Sec. 30 & 31
 a Sugar 12 in. diam. to S. 54 E. 40 Mer. dis.
 a Maple 12 " " " N 74 E. 54 " "
 9.36 a Beech 12 " "
 24.16 a Hickory 12 " "

376.

T. 26 N. R. 6 E. 2nd Mer. Indiana.

do. lbs

- 34.11 1st 2nd Sec. just p. wh.
 a Hickory 18 in. diam. b. 9.58 W. 32 lbs. &
 a Spr 18 " " " N 24 E. 7 "
 53.91 a Beech 12 " "
 64.10 a Sugar 18 " "
 74.11 to Sec. Cor.

- 189.30 E. On Random Betwth Sec. 29 & 32. Var 420' E.
 10.00 Begin Descent of Ravine Elev^{at} 600'
 11.00 a Branch 4th. wide co. N. W.
 11.10 Ascent of E. Bank Elev^{at} 300'
 12.00 Summit
 13.00 a Road bears North
 22.50 Stephen Kisters Farm & descent of Land
 37.00 Leav^{er} Farm
 39.50 a Branch 4th. wide co. N. W.
 45.00 1st 2nd Sec. just p. wh.
 a Sugar 6 in. diam. b. 15.11 W. 16 lbs.
 an Iron^{ore} 8 " " " N 46 W. 24 "
 49.50 a Road bears N. 20 E.
 54.50 Intersection the Left Bank of Mississippi way
 Riv. Course N. E. 1st just betwth 29 & 32. p. wh.
 a W. Oak 30 in. diam. b. 18.4 W. 14 lbs. dr.
 a Cherry 8 " " " N 23 E. 20 " "
 Land from 4000 ft. gently
 rolling - timber W. Oak, Poplar, Sugar &
 Beech. Last 14.50 2nd second section
 Timber W. Oak, Iron^{ore}, Buckeye & Beech,
 and gth. Spruce, Iron^{ore}, & Beech.

- North Between Sections 29 & 30 Var. 435' E.
 9.18 a Branch 8th. wide co. E.
 40.00 1st Temp^{erature}. just
 41.00 a Road bears S. 10 E.
 61.18 Intersection N. Baring Line 50th. E. of just
 Land this 61.18 gently rolling

T. 26 N. R. 6 E. 2nd Mer. Indiana. 377.
 chs. M.

good second rate - Tim. W. Oak, Poplar,
 Lym, Sugar & Beech - Under the Spruce
 Ironwood & Beech - scattering

4.27¹/₂ Established Line Bet^h Sec. 29 & 30
 11.31 a Beech 12 in. diam. } W. Oak 18.1.10 W. 30.
 21.18 1st 2nd Sec. foot p. w. h. } Beech 12.1.30 E. 30
 an Elm 24 in. diam. W. 25 W. 19 (k. x
 a Sugar 24 " " " 1/2 W. 23 "
 41.25 a Beech 12 " "
 51.10 a Lym 18 " "
 61.18 to Sec. Cor. April 21. 1847

Meanders of Left Bank of the
 Mississippi River - Beginning at the
 N.W. Cor. of Riser - or Sec. 4 - Thence
 Down Stream in Sec. 25.

Course	chs. M.	P e m a r k s
N 63 W.	12.00	In Sec. 25
N 38 W.	19.00	at 2.00 Bluff Bank brow off West.
N 29 1/2 W.	3.09	Cor. of Sec. 25 & 26

N 33 W.	17.00	In Sec. 26
N 55 W.	6.50	
N 69 W.	7.00	
N 39 W.	5.50	
N 14 W.	6.50	
N 35 W.	4.00	
N 73 W.	8.00	
S 78 W.	6.50	
S 20 W.	13.50	at 8.00 Ruble's Saw Mill
S 56 W.	3.50	
N 84 W.	15.00	at 50 lks. from Bluff & 13. from Bluff
S 80 W.	4.00	
S 67 W.	8.50	

T. 26 N. R. 6 E. 2nd Mer. Indiana.

Meanders Contd.

Course	Ch. M.	Remarks
T. 50 W.	4.00	Cor. of Sec. 26 & 27
T. 26 W.	5.00	In Sec. 27
T. 3 E.	10.00	at 9 Stone Bluff
T. 29 W.	7.00	
T. 52 W.	7.00	
T. 71 W.	6.30	Barney Mouth of Branch 6 lks.
T. 84 W.	7.30	Leaver Bluff Bank
T. 70 W.	15.00	at 3.00 E. end of Island at N.W. end
T. 61 W.	7.00	
T. 85 W.	4.50	
T. 41 W.	11.30	
T. 68 W.	14.50	
T. 72 W.	3.00	Intersected N. E. Cor. of Reservoir or Section No. 5.

Meanders of the Left Bank
of the Mississippiway - Beginning at
the N.W. Cor. of Sec. No. 5. Thence down stream

T. 62 W.	9.17	In Sec. 33 - Intersected cor. to Sec. 32 & 33
----------	------	---

T. 78 W.	12.00	In Sec. 32
T. 86 W.	9.00	at 5.00 Mouth of Spring Brook 8 lks.
T. 30 W.	5.50	at 1.00 Mouth of Spring Branch 6 "
		& at 2.00 Stone Bluff Bank 30 ft.
T. 17 W.	10.00	
T. 23 E.	6.50	Intersected Cor. of Sec. 29 & 32

T. 46 E.	20.00	In Sec. 29 - at 5.00 Low Bottom Land and near Stone Bluff
----------	-------	--

T. 11 E.	22.50	
T. 31 W.	7.50	
T. 82 W.	3.30	

T. 26 N. R. 6 E. 2nd Mer. Indiana. 379.

Meanders Cont.

Course	Ch. M.	Remarks
1.35 M.	5.50	
1.59 M.	18.50	Mouth of Branch 4 M.
1.82 M.	6.50	at 100 Stone Bluff 20 ft. high
N. 65 W.	6.50	
N. 25 W.	6.50	
North	10.00	at 9 Lean Stone Bluff
N. 22 E.	17.50	Intersected point on N. Boundary Line Cor. to Sec. 29. - at 5.00 Stone Bluff - and Narrow in River - April 22 nd 1847.

Genl. Description

The Land in this Tract, Township is part gently rolling and part level - all second rate. The Timber is heavy and principally W. Oak, Poplar, Sugar, Gum, and Beech, with a thick Undergrowth of Spice, P. Ash, Ironwood & Beech. The Streams or Branches have low Banks, slow Current - until their near approach to the Mississippi River, when their Current becomes rapid, and their Beds form the bottom of deep Ravines with abrupt Ascent & descent.

I Abner E. Van Nop, Esq., Surveyor do Solemnly Swear that in pursuance of a Contract dated the 20th day of May 1846 with Lucius Lyon Surveyor Genl. of the United States, for Ohio Indiana, and Michigan - And in strict conformity

T. 26 N. R. 6 E. 2nd Mer. Indiana
 chs. lks.

to the Laws of the United States, and
 Instructions of said Sur^r. General.

I have regularly surveyed & subdivided
 into Sec. & Trac. Township N. 26 N. of
 Range N. 6 E. of the 2nd principal Mer.
 in the State of Indiana

And I do further solemnly swear
 that the foregoing are the true and
 original field notes of the said
 Survey & Subdivision Executed
 as aforesaid

Abner E. Van Ness

Dep^y. Surveyor

Subscribed & sworn to before me
 this 5th day of June 1847

Jas. W. Mann

Justice of the peace

James Bell }

Justus Minix } chairmen

Isaac McCallin Marker -

Survey connecting private
 claims with Public Survey -

Survey of Claim N^o 4

Resumed for J. B. Richardville

Commencing at a Stone
 placed for the N. W. Cor. pr. wh. (on River)
 a Buckeye 18 in. diam. N. 19 W. 3 lks. &
 a W. Walnut 3 " " S. 1 E. 28 "

Thence on N. Boundary.

South

86. 66 To a post set for the S. W. Cor. pr. wh.
 a Sugar 20 in. diam. N. 25 E. 38 lks. &
 an Elm 14 " " S. 79 W. 36 "

Thence on S. Boundary -

T26 N. R. 6 E. 2nd Mer. Indiana

Chs. M.

East

64.47 To a Stone placed for the S. E. Cor. p. wh.
 a Sugar 14 in. diam. to N 56 E. 22 lks.
 a Do 14 " " " N 77 W. 14 "
 Thence on E. Boundary.

North

47.25 To a Stone on the S. Bank of the
 Mississinaway River. N. E. Cor. p. wh.
 an Elm 48 in. diam. to N 26 E. 26 lks.
 a Red Haw 12 " " " N 83 E. 44 "
 Thence with the Meanders—

S. 78 W. 5.50

N. 43 W. 22.00

N. 6 E. 9.00

S. 87 E. 21.00

N. 30 E. 14.50

N. 28 W. 37.50

S. 85 W. 9.50

S. 52 W. 26.00

4.65 W. 29.00 to a Stone on the S. Bank of
 the Mississinaway, and place of Beginning
 Containing 640.13 ^{Acres}

Surveyed in 1843 by
 David P. Alder
 Surveyor—

Survey of Twin Spring Sec.
 N. 5. Reserved for J. B. Richlandville
 in Towns 25 & 26 N. R. 6 E.

Commenced at a Stone
 placed for the S. E. Cor. p. wh.
 a Walnut 36 in. diam. to N 63 W. 15 lks.
 a Mulberry 15 " " " N 76 E. 23 "
 Thence on Easterly Boundary

N. 13 W.

92 to S. Boundary of T26 N. R. 6 E. 6.57 W. of

T. 26 N. R. 6 E. 2nd Mer. Indiana
 ch. lks.

2nd post on S. Boundary of Sec. 34 -

109.63 to a Stone on the southerly Bank of the
 Mississinuiway River N. E. Cor. p. wh.
 a Beech 20 in. diam. b. 410 E. 24 lks.
 a Blue Ash 15 " " N. 3 E. 24 "

Thence for the northerly Boundary
 with the Meanders of the River

4.64 W. 5.00

4.41 W. 8.00

4.21 W. 11.00

4.32 W. 12.00

4.50 W. 10.00

4.58 W. 20.00

4.70 W. 20.00

4.84 W. 10.00

4.57 W. 5.00 to a Stone on the southerly Bank
 of the River, placed for N. W. Cor. p. wh.
 a Beech 18 in. diam. b. 419 W. 20 lks.
 a Sugar 6 " " " N. 6 E. 21 "
 a Rock 48 " " " South 78 "
 Thence on Westerly Boundary.

4.13 E.

59.63 to a Stone placed for the S. W. Cor.
 a Beech 7 in. diam. b. 413 W. 20 lks.
 a Do 12 " " " East 44 "

This corner is 2.70 on a course
 4.13 E. from Sim Betw. Towns 25 & 26.
 North Range 6. East

East

88.87 to S. E. Cor. of land Beginning
 containing 640 3rd

Surveyed in 1843. by

David P. Alder

County Surveyor

Grant County

I Certify that the foregoing
Transcript of the Field Notes of Township
No. 26 North, in Range No. 6 East, 2nd ^{Sta.}
Meridian Indiana has been com-
pared with the Original Notes in
this Office, and found to be
Correct

Surveyor General's Office
Detroit Nov. 1. 1846

Lucius Lyon,
Sut. Genl.